		SAFETY	DATA SHEET	
	ассо	rding to Commission Re	gulation (EU) 2020/878 as	s amended
		TECLIN	IE ANTIFOG	
reat	on date 21s	t March 2024		
evis	on date		Version	1.0
ЕСТ	ON 1: Identification of the	substance/mixture	and of the company/un	dertaking
1.	Product identifier		TECLINE ANTIFO	_
	Substance / mixture		mixture	
.2.	Relevant identified uses	of the substance or r	nixture and uses advise	d against
	Mixture's intended use			
	Anti-couple	_		
	Mixture uses advised ag	ainst		
2	not available			
.3.	Details of the supplier of Distributor	the safety data shee	τ	
	Name or trade name		SCUBATECH SP. 2	7 0 0
	Address			2, 72-006 MIERZYN
	Address		POLAND	., /2 000 menzin
	Phone		91 453 00 17	
	E-mail		scubatech@scuba	atech.pl
	Web address		Teclinediving.eu	
	Competent person respo	nsible for the safety	data sheet	
	Name	-	SCUBATECH SP. 2	Z 0.0.
	E-mail		scubatech@scuba	atech.pl
.4.	Emergency telephone nu			
	European emergency numb	er: 112		
	ION 2: Hazards identificati Classification of the subs Classification of the mixt The mixture is classified as Flam. Liq. 3, H226 Eve Irrit, 2, H319	stance or mixture ture in accordance wi	th Regulation (EC) No 1	1272/2008
	Classification of the subs Classification of the mixe The mixture is classified as Flam. Liq. 3, H226 Eye Irrit. 2, H319 STOT SE 3, H336 Most serious adverse ph Flammable liquid and vapo Most serious adverse eff	stance or mixture ture in accordance wi dangerous. ysico-chemical effect ur. ects on human health	s and the environment	1272/2008
.1.	Classification of the subs Classification of the mixit The mixture is classified as Flam. Liq. 3, H226 Eye Irrit. 2, H319 STOT SE 3, H336 Most serious adverse ph Flammable liquid and vapo Most serious adverse eff May cause drowsiness or di	stance or mixture ture in accordance wi dangerous. ysico-chemical effect ur. ects on human health	s and the environment	1272/2008
2.1.	Classification of the subs Classification of the mixt The mixture is classified as Flam. Liq. 3, H226 Eye Irrit. 2, H319 STOT SE 3, H336 Most serious adverse ph Flammable liquid and vapo Most serious adverse eff May cause drowsiness or di Label elements	stance or mixture ture in accordance wi dangerous. ysico-chemical effect ur. ects on human health	s and the environment	1272/2008
2.2.	Classification of the subs Classification of the mixit The mixture is classified as Flam. Liq. 3, H226 Eye Irrit. 2, H319 STOT SE 3, H336 Most serious adverse ph Flammable liquid and vapo Most serious adverse eff May cause drowsiness or di	stance or mixture ture in accordance wi dangerous. ysico-chemical effect ur. ects on human health	s and the environment	1272/2008
2.1.	Classification of the subs Classification of the mixt The mixture is classified as Flam. Liq. 3, H226 Eye Irrit. 2, H319 STOT SE 3, H336 Most serious adverse ph Flammable liquid and vapo Most serious adverse eff May cause drowsiness or di Label elements	stance or mixture ture in accordance wi dangerous. ysico-chemical effect ur. ects on human health	s and the environment	1272/2008
.1.	Classification of the subs Classification of the mixt The mixture is classified as Flam. Liq. 3, H226 Eye Irrit. 2, H319 STOT SE 3, H336 Most serious adverse ph Flammable liquid and vapo Most serious adverse eff May cause drowsiness or di Label elements	stance or mixture ture in accordance wi dangerous. ysico-chemical effect ur. ects on human health	s and the environment	1272/2008
2.1.	Classification of the subs Classification of the mixt The mixture is classified as Flam. Liq. 3, H226 Eye Irrit. 2, H319 STOT SE 3, H336 Most serious adverse ph Flammable liquid and vapo Most serious adverse eff May cause drowsiness or di Label elements	stance or mixture ture in accordance wi dangerous. ysico-chemical effect ur. ects on human health	s and the environment	1272/2008
2.1.	Classification of the subs Classification of the mixt The mixture is classified as Flam. Liq. 3, H226 Eye Irrit. 2, H319 STOT SE 3, H336 Most serious adverse ph Flammable liquid and vapo Most serious adverse eff May cause drowsiness or di Label elements Hazard pictogram	stance or mixture ture in accordance wi dangerous. ysico-chemical effect ur. ects on human health	s and the environment	1272/2008
.1.	Classification of the subs Classification of the mixt The mixture is classified as Flam. Liq. 3, H226 Eye Irrit. 2, H319 STOT SE 3, H336 Most serious adverse ph Flammable liquid and vapo Most serious adverse eff May cause drowsiness or di Label elements	stance or mixture ture in accordance wi dangerous. ysico-chemical effect ur. ects on human health	s and the environment	1272/2008
.1.	Classification of the subs Classification of the mixe The mixture is classified as Flam. Liq. 3, H226 Eye Irrit. 2, H319 STOT SE 3, H336 Most serious adverse ph Flammable liquid and vapo Most serious adverse eff May cause drowsiness or di Label elements Hazard pictogram Signal word Warning	stance or mixture ture in accordance wi dangerous. ysico-chemical effect ur. ects on human health	s and the environment	1272/2008
.1.	Classification of the subs Classification of the mixe The mixture is classified as Flam. Liq. 3, H226 Eye Irrit. 2, H319 STOT SE 3, H336 Most serious adverse ph Flammable liquid and vapo Most serious adverse eff May cause drowsiness or di Label elements Hazard pictogram Signal word Warning Hazardous substances	stance or mixture ture in accordance wi dangerous. ysico-chemical effect ur. ects on human health	s and the environment	1272/2008
.1.	Classification of the subs Classification of the mixe The mixture is classified as Flam. Liq. 3, H226 Eye Irrit. 2, H319 STOT SE 3, H336 Most serious adverse ph Flammable liquid and vapor Most serious adverse eff May cause drowsiness or di Label elements Hazard pictogram Signal word Warning Hazardous substances propan-2-ol	stance or mixture ture in accordance wi dangerous. ysico-chemical effect ur. ects on human health	s and the environment	1272/2008
.1.	Classification of the subs Classification of the mixit The mixture is classified as Flam. Liq. 3, H226 Eye Irrit. 2, H319 STOT SE 3, H336 Most serious adverse ph Flammable liquid and vapo Most serious adverse eff May cause drowsiness or di Label elements Hazard pictogram Signal word Warning Hazardous substances propan-2-ol Hazard statements	stance or mixture ture in accordance wi dangerous. ysico-chemical effect ur. fects on human health zziness. Causes serious	s and the environment eye irritation.	1272/2008
.1.	Classification of the subs Classification of the mixit The mixture is classified as Flam. Liq. 3, H226 Eye Irrit. 2, H319 STOT SE 3, H336 Most serious adverse ph Flammable liquid and vapo Most serious adverse eff May cause drowsiness or di Label elements Hazard pictogram Signal word Warning Hazardous substances propan-2-ol Hazard statements H226	stance or mixture ture in accordance wi dangerous. ysico-chemical effect ur. fects on human health zziness. Causes serious	s and the environment eye irritation.	1272/2008
.1.	Classification of the subs Classification of the mixit The mixture is classified as Flam. Liq. 3, H226 Eye Irrit. 2, H319 STOT SE 3, H336 Most serious adverse ph Flammable liquid and vapo Most serious adverse eff May cause drowsiness or di Label elements Hazard pictogram Signal word Warning Hazardous substances propan-2-ol Hazard statements	stance or mixture ture in accordance wi dangerous. ysico-chemical effect ur. ects on human health zziness. Causes serious Flammable liquid a Causes serious eye	s and the environment eye irritation.	1272/2008
.1.	Classification of the subs Classification of the mixit The mixture is classified as Flam. Liq. 3, H226 Eye Irrit. 2, H319 STOT SE 3, H336 Most serious adverse ph Flammable liquid and vapo Most serious adverse eff May cause drowsiness or di Label elements Hazard pictogram Signal word Warning Hazardous substances propan-2-ol Hazard statements H226 H319 H336	stance or mixture ture in accordance wi dangerous. ysico-chemical effect ur. ects on human health zziness. Causes serious Flammable liquid a Causes serious eye May cause drowsir	s and the environment eye irritation.	1272/2008
.1.	Classification of the subs Classification of the mixit The mixture is classified as Flam. Liq. 3, H226 Eye Irrit. 2, H319 STOT SE 3, H336 Most serious adverse ph Flammable liquid and vapo Most serious adverse eff May cause drowsiness or di Label elements Hazard pictogram Signal word Warning Hazardous substances propan-2-ol Hazard statements H226 H319	stance or mixture ture in accordance wi dangerous. ysico-chemical effect ur. ects on human health zziness. Causes serious Flammable liquid a Causes serious eye May cause drowsir	and the environment eye irritation.	
.1.	Classification of the subs Classification of the mixe The mixture is classified as Flam. Liq. 3, H226 Eye Irrit. 2, H319 STOT SE 3, H336 Most serious adverse ph Flammable liquid and vapo Most serious adverse eff May cause drowsiness or di Label elements Hazard pictogram Signal word Warning Hazardous substances propan-2-ol Hazard statements H226 H319 H336 Precautionary statement	stance or mixture ture in accordance wi dangerous. ysico-chemical effect ur. ects on human health zziness. Causes serious Flammable liquid a Causes serious eye May cause drowsir	s and the environment eye irritation. and vapour. e irritation. ness or dizziness. s needed, have product co	
.1.	Classification of the subs Classification of the mixe The mixture is classified as Flam. Liq. 3, H226 Eye Irrit. 2, H319 STOT SE 3, H336 Most serious adverse ph Flammable liquid and vapo Most serious adverse eff May cause drowsiness or di Label elements Hazard pictogram Signal word Warning Hazardous substances propan-2-ol Hazard statements H226 H319 H336 Precautionary statement P101	Flammable liquid a Causes serious erious May cause drowsin ts If medical advice i Keep out of reach Keep away from h	s and the environment eye irritation. and vapour. e irritation. mess or dizziness. s needed, have product co of children.	
.1.	Classification of the subs Classification of the mixe The mixture is classified as Flam. Liq. 3, H226 Eye Irrit. 2, H319 STOT SE 3, H336 Most serious adverse ph Flammable liquid and vapo Most serious adverse eff May cause drowsiness or di Label elements Hazard pictogram Signal word Warning Hazardous substances propan-2-ol Hazard statements H226 H319 H336 Precautionary statement P101 P102	Flammable liquid a Causes serious erious May cause drowsin If medical advice i Keep out of reach Keep away from h No smoking.	s and the environment eye irritation. and vapour. e irritation. mess or dizziness. s needed, have product co of children.	ontainer or label at hand. open flames and other ignition sources

according to Commission Regulation (EU) 2020/878 as amended

TECLINE ANTIFOG

	-		
Creation date	21st March 2024		
Revision date		Version	1.0

P305+P351+P338

P337+P313

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Supplemental information

<5 % non-ionic surfactants

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regula- tion (EC) No 1272/2008	Note
Index: 603-117-00-0 CAS: 67-63-0 EC: 200-661-7 Registration number: 01-2119457558-25- XXXX	propan-2-ol	<50	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

If on skin

Rinse skin with water or shower.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

If swallowed

DO NOT INDUCE VOMITING - even the inducted vomiting can cause complications as in case of detergents and other foaming substances.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

May cause drowsiness or dizziness.

If on skin

Not expected.

If in eyes

Causes serious eye irritation.

If swallowed

Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

according to Commission Regulation (EU) 2020/878 as amended

TECLINE ANTIFOG

Creation date Revision date

Version

1.0

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

21st March 2024

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Flammable liquid and vapour. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. Do not in hale mist/vapours/spray. Prevent contact with skin and eyes. No smoking. Wash hands and exposed parts of the body thoroughly after handling. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Take action to prevent static discharges.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Protect from sunlight. Protect against frost. Keep only in original packaging.

Storage temperature

min 5 °C, max 35 °C

The specific requirements or rules relating to the substance/mixture

Solvent vapours are heavier than air and accumulate especially near the floor where they may form an explosive mixture with the air.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

according to Commission Regulation (EU) 2020/878 as amended

TECLINE ANTIFOG

Creation date Revision date 21st March 2024

Version

1.0

DNEL

propan-2-ol						
Workers / consu-	Route of	Value	Effect	Value determina-	Source	
mers	exposure			tion		
Workers	Dermal	888 mg/kg	Chronic effects systemic		SDS	
Workers	Inhalation	500 mg/m ³	Chronic effects systemic		SDS	
Consumers	Dermal	319 mg/kg	Chronic effects systemic		SDS	
Consumers	Inhalation	89 mg/m ³	Chronic effects systemic		SDS	
Consumers	Oral	26 mg/kg	Chronic effects systemic		SDS	

PNEC

propan-2-ol			
Route of exposure	Value	Value determination	Source
Drinking water	140.9 mg/l		SDS
Marine water	140.9 mg/l		SDS
Freshwater sediment	552 mg/kg		SDS
Sea sediments	552 mg/kg		SDS
Soil (agricultural)	28 mg/kg		SDS

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. Do not eat, drink and smoke during work.

Eye/face protection It is not needed.

Skin protection It is not needed. Respiratory protection It is not needed. Thermal hazard Data not available. Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	containing alcohol
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	34 °C
Auto-ignition temperature	data not available
Decomposition temperature	data not available
рН	7 (undiluted)
Kinematic viscosity	data not available
Solubility in water	soluble
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	0.886-0.926 g/cm ³ at 20 °C

according to Commission Regulation (EU) 2020/878 as amended

		TECL	INE ANTIFOG	
Creatio	on date	21st March 2024		
Revisio	on date		Version	1.0
	Relative vapour densi	ty	data not available	
	Particle characteristic	S	data not available	
	Form		liquid	
9.2.	Other information			
	not available			
10.1. 10.2.	Reactivity not available Chemical stability			
	•	under normal conditions.		
10.3.				
	Unknown.			
10.4.	Conditions to avoid			
	The product is stable against frost.	and no degradation occur	s under normal use. Protect	against flames, sparks, overheating and
10.5.	Incompatible mater	rials		

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute toxicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

propan-2-ol							
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Source	
Oral	LD50	>2000 mg/kg				SDS	
Skin	LD50	>2000 mg/kg				SDS	
Inhalation	LC50	>5 mg/l				SDS	

Skin corrosion/irritation

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Serious eye damage/irritation

Causes serious eye irritation. Data for the components of the mixture are not available.

Respiratory or skin sensitisation

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Germ cell mutagenicity

No data are available for either the mixture or the components. Based on available data the classification criteria are not met. Based on the available data, the criteria for classification of the mixture are not met.

according to Commission Regulation (EU) 2020/878 as amended

TECLINE ANTIFOG

Creation date	21st March 2024			
Revision date		Version	1.0	

Carcinogenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Reproductive toxicity

No data are available for either the mixture or the components. Based on available data the classification criteria are not met. Based on the available data, the criteria for classification of the mixture are not met.

Toxicity for specific target organ - single exposure

May cause drowsiness or dizziness. Data for the components of the mixture are not available.

Toxicity for specific target organ - repeated exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Aspiration hazard

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

Acute toxicity

propan-2-ol							
Parameter	Value	Exposure time	Species	Environment	Source		
LC50	>100 mg/l	48 hours	Fish (Leuciscus idus)		SDS		
EC₅o	>100 mg/l	48 hours	Daphnia (Daphnia ma- gna)		SDS		
EC₅o	>100 mg/l	72 hours	Algae (Scenedesmus subspicatus)		SDS		

12.2. Persistence and degradability

No data are available for either the mixture or the components. Surfactants are biodegradable according to the European Parliament and Council Regulation (EC) No. 648/2004 on detergents, as amended. The mixture is biodegradable.

12.3. Bioaccumulative potential

No data are available for either the mixture or the components.

12.4. Mobility in soil

No data are available for either the mixture or the components.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations

Page 6/9

according to Commission Regulation (EU) 2020/878 as amended

TECLINE ANTIFOG

Creation date Revision date

Version

1.0

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

07 06 04* other organic solvents, washing liquids and mother liquors

21st March 2024

Packaging waste type code

15 01 02 plastic packaging

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

- 14.1. UN number or ID number
- UN 1993 14.2. UN proper shipping name
 - FLAMMABLE LIQUID, N.O.S. (propan-2-ol)
- 14.3. Transport hazard class(es)

3 Flammable liquids

- 14.4. Packing group
 - III
- 14.5. Environmental hazards
 - No
- **14.6.** Special precautions for user Reference in the Sections 4 to 8.


14.7. Maritime transport in bulk according to IMO instruments

not relevant Additional information

UN number

Safety signs

Hazard identification No.



SECTION 15: Regulatory information

Tunnel restriction code

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

7/9

according to Commission Regulation (EU) 2020/878 as amended

TECLINE ANTIFOG

Creation date Revision date

Version

15.2. Chemical safety assessment

For mixture:

A Chemical Safety Assessment has not been carried out.

21st March 2024

For the following substances, mixtures:

Propan-2-ol: the manufacturer has performed a chemical safety assessment

SECTION 16: Other information

JN 16: Other information	
	es used in the safety data sheet
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
•	used in the safety data sheet
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P271	Use only outdoors or in a well-ventilated area.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
Other important information	about human health protection
as per the Section 1. The user i	ess specifically approved by the manufacturer/importer - used for purposes other than s responsible for adherence to all related health protection regulations.
Key to abbreviations and ac	ronyms used in the safety data sheet
ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC₅o	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangero- us Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC50	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD50	Lethal dose of a substance in which it can be expected death of 50% of the popula- tion
log Kow	Octanol-water partition coefficient
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail

	according to Commission Regulation (EU) 2020/878 as amended				
	TECLI	NE ANTIFOG			
Creation date	21st March 2024				
Revision date		Version	1.0		
UN	Four-figure ident del Regulations	ification number of the sub	stance or article taken fro	om the UN Mo-	
UVCB	Substances of ur gical materials	Substances of unknown or variable composition, complex reaction products or biolo- gical materials			
VOC	Volatile organic o	compounds			
vPvB	Very Persistent a	nd very Bioaccumulative			
Eye Irrit.	Eye irritation				
Flam. Liq.	Flammable liquid				
STOT SE	Specific target or	rgan toxicity - single expos	ure		
Training guide	ines				
Inform the perso ways of handling	onnel about the recommended w I the product.	ays of use, mandatory pro	tective equipment, first a	id and prohibited	

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. RE-GULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method. Classification procedure - based on flash point test results.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.